Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Н	1	"20020131404"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:19
L2	0	1 and dialog	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:19
13	0	1 and interactive	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:31
L4	0	((request\$3 or dialing) with (number near3 service) with code with segment\$1 with identif\$5) and rout\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:34
L5	0	((request\$3 or dialing) with (number near3 service) with code with segment\$1 with identif\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:34
L6	8	(request\$3 or dialing) same (number near3 service) same code same segment\$1 same identif\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:22
1.7	684977	((mobile or portable or wireless or cell or cellular or (hand adj held)) with (device or unit or laptop or phone or telephone)) or pda	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:36
L8	5	6 and 7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:36
L9	5	8 and application\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:40
L10	0	20050246716n\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:40
L11	1	"20050246716"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:40

L12	8	(request\$3 or dialing) same (number near3 service) same code same segment\$1 same identif\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:41
L13	1	11 and 12 and rout\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 16:57
L14	1	"6304753".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:20
L15	1906	455/414.1,414.3.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:47
L16	8221	370/349,351,352.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:47
L17	2814	370/349.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:21
L18	5555	370/351,352.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:21
L19	148	17 and 18	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:21
L20	1	15 and 19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:22
L21	15	(request\$3 or dialing) same (number near3 service) same code same segment\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:27
L22	148	19 not 21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:23
L23	123	7 and 22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:23

L24	23	23 and download\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:23
L25	72687	code and segment\$1 and rout\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:38
L26	3	24 and 25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:31
L27	23460	routing near3 information	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:32
L28	20	24 not 26	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:32
L29	3	27 and 28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:32
L30	370	(code same segment\$1 same rout\$4) and 27	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:39
L31	194	7 and 30	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:39
L32	10104	15 or 16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:39
L33	15	31 and 32	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:39
L34	207	455/414.3.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/04/26 17:47
L35	2814	370/349.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ÖR	ON	2006/04/26 17:48

L36	0	34 and 35	US-PGPUB;	OR	ON	2006/04/26 17:48
			USPAT;			
			EPO; JPO;			·
			IBM_TDB			